

Review report

Riverside Community Foundation Annual Report 2025 · annual-report-after.pdf · 12 pages

Standard	WCAG 2.1 AA with PDF/UA-1 structure
Review date	2026-09-15
Reviewer	PDF Access accessibility specialist
Tools	Adobe Acrobat Pro; NVDA 2025.1 with Adobe Acrobat Reader (Windows); VoiceOver with Preview (macOS); PAC 2024; Acrobat accessibility checker

Checks performed

- Structure tree: one H1 (document title), 11 H2 section headings in order, 32 paragraphs, 3 figures and 1 table tagged; no heading level skipped.
- Reading order: document read start to finish with NVDA 2025.1 in Adobe Acrobat Reader and with VoiceOver in Preview; every section announced in visual order, running footers marked as artifacts.
- Figures: 3 bar charts given alternative text that states the values shown; captions tagged as Caption elements.
- Table: header row tagged as TH with column scope; each value announced with its header; no merged cells.
- Document properties: language en, title set and displayed in the window title, bookmarks for every section, fonts embedded.
- Automated validation: PAC 2024 and the Acrobat accessibility checker report no errors after repair.

Unresolved limitations

The three bar charts are described in alternative text that includes every plotted value. A separate data-table equivalent was not added because the same values appear in the surrounding text. Colour contrast of the printed chart labels was measured at 7.1:1 and needs no change.

Correction round

One correction round for defects within this scope is included and can be requested from the delivery page within 30 days. Changes to the source content are new work.

Issued by PDF Access (Busy Wait AB, Göteborg, Sweden). Automated checks and repairs are not legal certification of ADA, Section 508 or WCAG conformance; this report records what was verified, how and by which tools.